

COVERS

Avantek Inc.
"Device and Construction Refinements Yield First 33 to 50 GHz GaAs FET YTO," No. 6, p. 153.

Boonton Electronics Corp.
"Multi-Channel Power Measurements from 100 kHz to 110 GHz," No. 7, p. 172.

Giga-tronics Inc.
"Synthesized Single-Band Microwave Signal Generators," No. 4, p. 203.

Harris Microwave Semiconductor
"6 to 18 GHz Fully Integrated MMIC Amplifier," No. 8, p. 121.

MCAD Software and Design Corp. in association with Communications Consulting Corp.
"LINMIC: a CAD Package for the Layout-Oriented Design of Single- and Multi-Layer MICs/MMICs up to mm-Wave Frequencies," No. 2, p. 151.

Narda Microwave Corp.
"A Portable Microwave Measurement System," No. 9, p. 223.

Narda Western Operations
"Broadband MMIC Amplifiers for Electronic Warfare Applications," No. 1, p. 196.

Wiltron Co.
"New Synthesizers Focus on EW/ECM, Radar and Communications System Measurements," No. 10, p. 164.

GUEST EDITORIALS

Engelson, Morris
"Of Components and Instruments," No. 8, p. 26.

Harris, J.R.
"The Challenge of Vertical Integration," No. 10, p. 26.

Knerr, Reinhard H.
"Focus on Baltimore: 1986 International Microwave Symposium," No. 5, p. 26.

Levien, Fred H.
"The Dilemma of Trust" No. 6, p. 26.

Schell, Allan C.
"Trends in Phased Array Development," No. 3, p. 26.

OPINION

Eisenson, Henry
"Frequency Synthesis: A Fresh Approach," No. 11, p. 42.

COMPONENTS/SUBSYSTEMS

Abouzahra, Mohamed D.
"Design and Performance of a Wideband, Multilayer Feed Network," No. 11, p. 157.

Adkins, L.R., H.L. Glass, K.K. Jin, F.S. Stearns, Y.T. Ataiiyn, R.L. Carter, J.M. Owens, D.D. Stancil
"Electronically Variable Time Delays Using Magnetostatic Wave Technology," No. 3, p. 109.

Agrawal, Ashok K., Gerald F. Mikucki
"An Improved Hybrid-Ring Directional Coupler for Higher Power Split Ratios," No. 11, p. 87.

Arthur, J.W.
"SAW Pulse Compression in Modern Multi-Channel Radar Applications," No. 1, p. 159.

Avery, Steven E.
"Dual Mixers," No. 10, p. 141.

Bitzer, R., R. Sudarsanam, S. Bay, H. Goldberg
"17 GHz Command Receiver for Direct Broadcast Satellites," No. 10, p. 99.

Boyd, David A.
"Design Considerations for Post-Tuning Drift (PTD) Reduction in Modern VCO Subsystems," No. 12, p. 121.

Boyles, John W.
"The Oscillator as a Reflection Amplifier: an Intuitive Approach to Oscillator Design," No. 6, p. 83.

Chang, I.C.
"Acousto-Optic Channelized Receiver," No. 3, p. 141.

Chu, A., W.E. Courtney, C.L. Chen, L.J. Mahoney, M.J. Manfra, H.A. Atwater
"Monolithic Analog Phase Shifters and Frequency Multipliers for mm-Wave Phased Array Applications," No. 12, p. 105.

Cohen, L., G. Irvin, J. Levy, P. Meier, H. Paczkowski, J. Whelehan
"Advanced mm-Wave Receivers for EW Applications," No. 4, p. 127.

Daniels, W.D., M. Churchman, R. Kyle, W. Skudera
"Compressive Receiver Technology," No. 4, p. 175.

Davis, R.G., M.J. Lazarus
"Phase Locking of mm-Wave Two-Port Gunn Oscillator by Bias Tuning," No. 6, p. 103.

DiPiazza, Gerald C., Peter Onno
"50 W CW Diode-Tuned UHF Filter," No. 10, p. 133.

Drexler, Paul E.
"Effect of Termination Mismatches on Double-Balanced Mixers," No. 1, p. 187.

Elliott, J.H., R.B. Stokes, K.H. Yen
"SAWFAST: A SAW Diffraction Channelizer," No. 9, p. 177.

Fiedziuszko, S. Jerry
"Microwave Dielectric Resonators," No. 9, p. 189.

Fischer, Michael C.
"Simple Modulators Generate Complex Formats to Push Higher Data Rates Through Limited Bandwidth," No. 3, p. 180.

Fourdan, Jean-Louis
"Simple, Homodyne Quartz-Locked FSK Detector," No. 7, p. 170.

Grellman, Erwin, Leonard Roland
"DC to 40 GHz Switches and 33 GHz Attenuators," No. 11, p. 183.

Hannum, Arthur J.
"2 Megabit Data Modem," No. 6, p. 161.

Huckleberry, Bob E.
"Design Considerations for a Modern DTO," No. 5, p. 291.

Kim, David C.
"Slope Compensating PIN Diode Attenuators," No. 3, p. 181.

King, R.C.M.
"The Design of Grid Pulsed, ppm Focused, Coupled-Cavity TWTs for Reliable Operation in Military Transmitters," No. 3, p. 167.

Klem, Sherman R.
"Low Cost Noise Sources Useful as Receiver BITE," No. 6, p. 147.

Lasrich, M., R. Bansal
"Computer Calculations of Relative Heating Patterns Due to a 27 MHz Waveguide Applicator for Hyperthermia Treatment," No. 7, p. 153.

Lau, C.L., M.L. Salib, D.E. Dawson, M.R. Murphy, L.R. Whicker
"A 2 to 8 GHz Cascadable Monolithic Amplifier," No. 4, p. 161.

Lau, K.F., K.H. Yen
"Stable, Low Cost SAW Microwave Transmitter," No. 6, p. 111.

Lochhead, Donald L.
"Receivers and Receiver Technology for EW Systems," No. 2, p. 139.

Maury Jr., Mario A., Gary R. Simpson
"Improved Millimeter Waveguide Flanges Improve Components and Measurements," No. 5, p. 337.

Morgan, D., R. Ragland
"Lumped Element Filters for Electronic Warfare Systems," No. 2, p. 127.

Morgan, G.P
"Dielectric Resonators for Circuits at Short mm-Wavelengths," No. 7, p. 107.

Neuf, Don, Steve Spohrer
"2 to 18 and 2 to 26 GHz Biasable Bridge Quad Schottky Diode Mixers," No. 5, p. 350.

Paolella, Arthur, Raymond L. Ross, John Ondria
"Advanced mm-Wave Sources by Automated MBE," No. 4, p. 149.

Park, P.K., R.L. Eisenhart, S.E. Bradshaw
"Matched, Dual Mode Square Waveguide Corner," No. 11, p. 153.

Perica, Goran
"Voltage-Controlled RF Phase Shifter," No. 7, p. 166.

Person, Don
"Ultra Low Distortion FM Audio Subcarrier Subsystems," No. 2, p. 196.

Petrovic, B.
"A New Type of Microstrip Directional Coupler," No. 4, p. 197.

Powell, Scott D.
"18 to 40 GHz Single-Pole, 4-Throw Switch," No. 7, p. 127.

Richards, C.W.
"Dual-Mode (QPSK or 16-QASK) Modulator," No. 7, p. 162.

Roberts, J.B.G., P. Simpson, B.C. Merrifield
"Applying Digital VLSI Technology to Radar Signal Processing," No. 1, p. 129.

Sharon, Thomas E., Gordon R. Harrison
"Recent Advances in mm-Wave Ferrite Device Technology," No. 4, p. 187.

Sleger, Kenneth, Ingham Mack, Craig Scott, Felix Buot
"Compound Semiconductor Digital Integrated Circuits," No. 8, p. 85.

Smith, Mark A., Kevin J. Anderson, Anthony M. Pavio
"Decade-Band Mixer Covers 3.5 to 35 GHz," No. 2, p. 163.

Snow, J.R.C.
"High Speed Voltage-Controlled Attenuator," No. 2, p. 197.

Tahim, R.S., T. Pham, P. Yen
"W-Band Low Noise Integrated Circuit Subharmonically Pumped Mixer with over 10 GHz Instantaneous RF Bandwidth," No. 7, p. 157.

Tahim, R.S., T. Pham, K. Chang
"W-Band Integrated Circuit PIN Switches," No. 12, p. 133.

Varian, K.R.
"DROs at 4, 6 and 11 GHz," No. 10, p. 111.

Vendelin, George, William Mueller,

Amarpal Khanna, Roland Soohoo
"A 4 GHz DRO," No. 6, p. 151.

Wang, S.K., D.C. Wang, C.D. Chang, M. Siracusa, L.C.T. Liu
"Producibility of GaAs Monolithic Microwave Integrated Circuits," No. 6, p. 121.

Watkins, E.T., B.M. Post, R.A. Knust-Graichen, J.M. Schellenberg
"Low Noise, 20 GHz Receiver Front-End," No. 5, p. 297.

Webber, G., J. Culp, Mark Robinson
"DRFM Requirements Demand Innovative Technology," No. 2, p. 91.

Xu Yansheng, Jiang Zhengchang
"Dual-Mode Latching Ferrite Devices," No. 5, p. 277.

Yau, W., J.M. Schellenberg
"An N-Way Broadband Planar Power Combiner/Divider," No. 11, p. 147.

Zensius, David P., Mike Draher, Northe K. Osbrink
"Device and Construction Refinements Yield First 33 to 50 GHz GaAs FET DRO," No. 6, p. 153.

Ziegner, Bernhard A.
"High Performance MMIC Hermetic Packaging," No. 11, p. 133.

ANTENNAS

Armitage, James L.
"Electronic Warfare Solid-State Phased Arrays," No. 2, p. 109.

Effenberger, John A., Richard R. Strickland
"The Effects of Rain on a Radome's Performance," No. 5, p. 261.

Goldsmith, Paul F., George J. Gill
"Dielectric Wedge Conical Scanned Gaussian Optic Lens Antenna," No. 9, p. 207.

Hall, Peter S.
"Microstrip Antenna Array with Multi-Octave Bandwidth," No. 3, p. 133.

Mailloux, R.J.
"Phased Array Architecture for mm-Wave Active Arrays," No. 7, p. 117.

Monser, George
"Design Considerations for Broadbanding Phased Array Elements," No. 3, p. 123.

Pozar, David M., Daniel H. Schaubert
"Comparison of Architectures for Monolithic Phased Array Antennas," No. 3, p. 93.

Sletten, C.J., W. Payne, W. Shillue
"Offset Dual Reflector Antennas for Very Low Sidelobes," No. 5, p. 221.

DESIGN

Agarwal, Krishna K.
"Applications of GaAs Heterojunction Bipolar Transistors in Microwave Dielectric Resonator Oscillators," No. 11, p. 177.

Bonfield, Robin
"Device Attachment to RT/duroid Laminates," No. 1, p. 183.

Brand, Jerry C., James F. Ronnau
"Practical Determination of Dielectric Resonator Coupling Coefficients," No. 11, p. 141.

Brockway, Charles J.
"Frequency-Agile Phase-Locked Loop," No. 6, p. 163.

Calviello, J.A., A. Cappello, P. Bie, R. Pomian, P. Meier
"Quasi-Monolithic: An Alternative/Intermediate Approach to Fully Monolithic," No. 5, p. 243.

Celliers, A.F.
"Sensitivity Analysis of 3 dB Branchline Couplers," No. 11, p. 188.

Dougherty, Richard M.
"mm-Wave Filter Design with Suspended Stripline," No. 7, p. 75.

Downs, J.W.
"Designing for Fiberglass and Composites," No. 8, p. 111.

Foust, Roger
"Using GaAs FET Small Signal Models and DC Load Line Characteristics to Predict Optimum Power Match in GaAs FETs," No. 9, p. 151.

Goldfarb, Marc E.
"Determination of Power Dissipation Characteristics of Broadband, In-Phase Power Combiners," No. 11, p. 192.

Gupta, Chandra, John Leventis, Nancy Jane Bailey
"Design of Microstrip Receiver Supercomponents at mm-Wave Frequencies," No. 9, p. 161.

Hamilton, Steve
"CAE Software Provides Solutions: Design of a Narrowband Microwave Balanced Mixer," No. 9, p. 220.

Hughes, D.W., H.M. Harris, C.T. Rucker
"An Equivalent Circuit for a 70 mil Microstrip Package," No. 8, p. 97.

Kaplan, Philip D.
"Predicting Antenna Sidelobe Performance," No. 9, p. 201.

Kothari, Dipak S.
"Stopband Filter Resonance Frequency Shift due to an Uncoupled Length of Resonator," No. 11, p. 165.

Leong, M.S., P.S. Kooi, A.L. Satya Prakash
"Effect of a Conducting Enclosure on the Characteristic Impedance of Coplanar Waveguides," No. 8, p. 105.

Lier, Erik, Kjell Bergh
"Cross-Polarization in Perturbed Circular Cylindrical Waveguides," No. 2, p. 193.

Monser, George
"Design Considerations for Broadbanding Phased Array Elements," No. 3, p. 123.

Perlow, Stewart M.
"Simplified Expressions for Calculating the Impedance of Shielded Slab Line of Any Shape Ratio," No. 11, p. 125.

Radmanesh, M., C.M. Chu, G.I. Haddad
"Magnetostatic Wave Propagation in a Yttrium Iron Garnet (YIG)-Loaded Waveguide," No. 7, p. 135.

Raffaelli, Lamberto, Robert Goldwasser
"Temperature Compensation for Microwave GaAs FET Amplifiers," No. 5, p. 315.

Rohde, Ulrich L.
"Designing a Matched Low Noise Amplifier Using CAD Tools," No. 10, p. 154.

Rohde, Ulrich L.
"Designing a Low Noise Oscillator Using CAD Tools," No. 12, p. 140.

Tomar, R.S., Prakash Bhartia
"Suspended and Inverted Microstrip Design," No. 3, p. 173.

Tsui, James B.Y.
"An Approximation Equation for EW Receiver Sensitivity," No. 9, p. 214.

CAD/CAD APPLICATIONS

Angelov, I., S. Haimov
"Computer-Aided Microwave Noise Measurements," No. 7, p. 143.

Jansen, Rolf H.
"LINMIC, a CAD Package for the Layout-Oriented Design of Single- and Multi-Layer MICs/MMICs up to mm-Wave Frequencies," No. 2, p. 151.

INSTRUMENTS/MEASUREMENTS

Alford, Andrew
"Measurement of Generator Impedance Using a Sliding Short Circuit," No. 8, p. 117.

Baczynsky, Andrew
"Low Cost Phase Noise Tester for 50 MHz to 4.2 GHz Signal Generators," No. 1, p. 191.

Beeckman, P.A.
"Millimeter-Wave Antenna Measurements with the HP 8510 Network Analyzer," No. 7, p. 89.

Carp, Stuart L.
"Vector Reflection Coefficient Test Set Using Off-the-Shelf RF Signal Processing Components," No. 5, p. 355.

Collett, E.
"Digital Spectrometry Measurement of Dielectric Constants at Millimeter Frequencies," No. 5, p. 307.

Harrison, Terry
"A New Approach to Radar Cross-Section Compact Range," No. 6, p. 137.

Mortezaie, M., C.P. Hu
"Phase Tracking Measurement of mm-Wave Mixers," No. 10, p. 161.

Shamah, Daniel, Michael R. Hagins
"Synthesizer Switching Speed Measurements," No. 11, p. 171.

Snyder, David F.
"Improving the Resolution of IM and Other Distortion Measurements," No. 5, p. 352.

Strid, Eric W.
"26 GHz Wafer Probing for MMIC Development and Manufacture," No. 8, p. 71.

MILLIMETER WAVES

Pagani, L., G. Ruffie, G. Beaudin, M. Gheudin, A. Deschamps
"A Low Noise Cryogenic Receiver for Spectroscopic Applications in mm-Wave Radioastronomy at 230 GHz," No. 10, p. 119.

Thumm, M., V. Erckmann, W. Kasparek, H. Kumric, G.A. Muller, P.G. Schuller, R. Wilhelm
"Very High Power mm-Wave Components in Oversized Waveguides," No. 11, p. 103.

SYSTEMS

Beam, Walter R.
"C^3 and Microwave Technology," No. 12, p. 91.

Billetti, Dale R.
"Efficient Radar Control," No. 1, p. 147.

Brookner, Eli, Thomas F. Mahoney
"Derivation of a Satellite Radar Architecture for Air Surveillance," No. 2, p. 173.

Cross, D.C., D.D. Howard, J.W. Titus
"Mirror-Antenna Radar Concept," No. 5, p. 323.

Farina, A., F.A. Studer
"Radar and Sensor Netting: Present and Future," No. 1, p. 97.

Farina, A., F.A. Studer
"A Review of CFAR Detection Techniques in Radar Systems," No. 9, p. 115.

Hovanessian, S.A.
"Detection of Non-Moving Targets by Airborne mm-Wave Radars," No. 3, p. 159.

Pell, C.
"Multi-Static Radar for Long Range Air Defense," No. 1, p. 171.

Richharia, M.
"Maximum Permissible Satellite Drift Rates for Step-Track Systems," No. 10, p. 151.

Sterzer, F., R.W. Paglione, F.J. Wozniak, E. Friedenthal, J. Mendecki
"A Robot-Operated Microwave Hyperthermia System for Treating Large, Malignant Surface Lesions," No. 7, p. 147.

Waldron, T.P., S.K. Chin, R.J. Naster
"Distributed Beamsteering Control of Phased Array Radars," No. 9, p. 133.

SPECIAL REPORTS

Bierman, Howard
"Microwave Packages Are Meeting GaAs Challenges," No. 11, p. 26.

Clarke, J., C.M. Stewart
"Airborne Radar, Part I," No. 1, p. 32.

Clarke, J., C.M. Stewart
"Airborne Radar, Part II," No. 2, p. 44.

Glaser, Peter E.
"Microwave Power Transmission for Use in Space," No. 12, p. 44.

Harper, Terry, Wayne Kennan, Northe K. Osbrink
"In Search of the $300 T/R Module," No. 3, p. 48.

Montgomery, Jeff D.
"Microwave Solid-State Oscillator Forecast," No. 5, p. 171.

Montgomery, Jeff D.
"Microwave Equipment US Production Forecast," No. 10, p. 30.

Oxley, T.H., C. Burnett
"mm-Wave (30-110 GHz) Hybrid Microstrip Technology, Part I," No. 3, p. 36.

Oxley, T.H., C. Burnett
"mm-Wave (30-110 GHz) Hybrid Microstrip Technology, Part II" No. 5, p. 177.

Schilb, William A.
"Profile of a 23 GHz Radio Design," No. 10, p. 49.

Sethares, J.C.
"Microwave/mm-Wave Magnetics and MMIC Compatibility," No. 10, p. 36.

Sprague, David L.
"Microwave CAE ... And Now a Show of Hands? A report on the software users group meetings during MTT-S '86," No. 7 p. 34.

Stiglitz, Martin R.
"The Global Positioning System," No. 4, p. 34.

Stiglitz, Martin R.
"The Military Electronics Market: The Next 10 Years," No. 8, p. 30.

Stiglitz, Martin R.
"Millimeter-Wave Applications," No. 8, p. 38.

Stiglitz, Martin R.
"GaAs Technology and MIMIC," No. 9, p. 42.

Stiglitz, Martin R.
"SDI: The Frontier of Technological Opportunity," No. 12, p. 34.

SPECIAL EDITORS' REPORTS

Gelnovatch, Vladimir G.
"Is It Time for a Microwave VHSIC?" No. 4, p. 26.

Hill, Robert T.
"Expecting More of Radar — And Achieving the Expectation," No. 1, p. 26.

Howe Jr., Harlan
"SDI: New Weapons Technology," No. 12, p. 26.

Moore, R.A., R.E. Marinaccio
"Advancing EW System Strategies and Supporting Technologies," No. 2, p. 26.

Spielman, Barry E.
"Defense Electronics: A Balance of Functionality, Finance and Form," No. 9, p. 26.

PRODUCT FEATURES

Berkeley Nucleonics Corp.
"Digital Delay Generator with 50 ps Time Resolution," No. 1, p. 200.

Celeritek
"2 to 6 GHz GaAs MMIC Amplifier Chip," No. 11, p. 204.

Colby Instruments Inc.
"10 to 4,000 MHz Signal Generator," No. 2, p. 204.

FET/Test Inc.
"Discrete Semiconductor Test System," No. 5, p. 365.

Hewlett-Packard Co.
"Digital Waveform Synthesizer," No. 2, p. 201.

Hewlett-Packard Co.
"Fast-Switching, Beam-Lead PIN Diodes for Phased Arrays," No. 3, p. 194.

Hewlett-Packard Co.
"3 GHz Vector Network Analyzer," No. 3, p. 196.

Hewlett-Packard Co.
"Transistor Electrical Characterization and Analysis Program (TECAP) Operates to 26.5 GHz," No. 8, p. 140.

Hughes Aircraft Co.
"New 94 GHz Solid-State Amplifiers Provide 20 to 36 W Power Output," No. 1, p. 201.

Integra Microwave
"Low Cost 2 to 20 GHz Sweeper," No. 5, p. 366.

Luxtron Corp.
"Fiber-Optic Temperature Measurement System," No. 5, p. 362.

M/A-Com Advanced Semiconductor Operations
"DC to 20 GHz MMIC GaAs FET Matched Attenuator," No. 3, p. 195.

M/A-Com Advanced Semiconductor Operations
"GaAs MMIC SPDT Broadband FET Switch," No. 5, p. 364.

M/A-Com Advanced Semiconductor Operations
"MMIC Multi-Function Control Circuits," No. 10, p. 174.

M/A-Com Omni Spectra
"2.4 mm Connectors," No. 5, p. 361.

Micro Video Inc.
"Scalar Network Analyzer/Microscope Combination," No. 4, p. 207.

Micronetics Inc.
"55 to 65 GHz Solid-State Noise Sources," No. 4, p. 210.

Micro-Now Instrument Co. Inc.
"Phase Locked Oscillators from 26.5 to 1000 GHz," No. 9, p. 226.

Microwave Software Applications Inc.
"Computer-Aided Synthesis Software," No. 9, p. 232.

Mini-Circuits
"A 99¢ Monolithic DC to 1000 MHz Amplifier," No. 8, p. 131.

Picosecond Pulse Labs Inc.
"Broadband Coaxial Bias Insertion Tees," No. 8, p. 136.

Radom Inc.
"Computer-Aided Synthesis Tools for Microwave Amplifier Circuit Design," No. 11, p. 198.

Sciteq Electronics
"Microwave Frequency Synthesis: Evolution," No. 10, p. 170.

Tektronix Inc.
"Monolithic Benchtop Spectrum Analyzers," No. 4, p. 211.

Tektronix Inc.
"New Performance Level in a Low Cost VHF/UHF Spectrum Analyzer," No. 12, p. 147.

TriQuint Semiconductor
"1 to 8 GHz Microwave Circuit Building Blocks," No. 11, p. 205.

Varian Associates, Beverly Microwave Division
"Miniature Airborne Frequency Synthesizers for ECM," No. 10, p. 168.

Westec Communications Inc.
"Mechanically and Voltage-Tuned Oscillators in High Performance Miniature Packages," No. 4, p. 209.

PRODUCT NEWS

Hewlett-Packard Co., Amphenol Products, M/A-Com Omni Spectra
"2.4 mm, 50 GHz Coaxial Connectors," No. 5, p. 359.

1986 INTERNATIONAL MICROWAVE SYMPOSIUM

Knerr, Reinhard H.
"Focus on Baltimore: 1986 International Microwave Symposium," No. 5, p. 26.

Niehenke, Ed
"Microwaves Linking Nations: The 1986 IEEE MTT-S International Microwave Symposium," No. 5, p. 30.

White, Joseph F.
"Attending the Conference," No. 5, p. 40.

Technical Program, No. 5, p. 64.
Exhibition Plan, No. 5, p. 120.
Exhibition Guide, No. 5, p. 122.

White, Joseph F. "What Happened at the Conference?" No. 7, p. 24.

1986 MILITARY MICROWAVES CONFERENCE

Technical Program, No. 4, p. 62.
Exhibitor List, No. 4, p. 86.
Exhibition Guide, No. 4, p. 90.

OTHER CONFERENCES
(in chronological order)

Stiglitz, Martin R.
"MILCOM '85," No. 1, p. 50.

Remski, R. D. Zavadil
"1986 Microwave Power Tube Conference," No. 6, p. 32.

"The 1986 IEEE Gallium Arsenide Integrated Circuits Symposium: A Preview," No. 9, p. 76.

"The 1986 Ultrasonics Symposium: A Preview," No. 10, p. 61.

"The 1987 International Microwave Symposium: A Preview," No. 11, p. 48.

Author Index

Abouzahra, Mohamed D.
"Design and Performance of a Wideband, Multilayer Feed Network," No. 11, p. 157.

Adkins, L.R., H.L. Glass, K.K. Jin, F.S. Stearns, Y.T. Ataiiyn, R.L. Carter, J.M. Owens, D.D. Stancil
"Electronically Variable Time Delays Using Magnetostatic Wave Technology," No. 3, p. 109.

Agarwal, Krishna K.
"Applications of GaAs Heterojunction Bipolar Transistors in Microwave Dielectric Resonator Oscillators," No. 11, p. 177.

Agrawal, Ashok K., Gerald F. Mikucki
"An Improved Hybrid-Ring Directional Coupler for Higher Power Split Ratios," No. 11, p. 87.

Alford, Andrew
"Measurement of Generator Impedance Using a Sliding Short Circuit," No. 8, p. 117.

Angelov, I., S. Haimov
"Computer-Aided Microwave Noise Measurements," No. 7, p. 143.

Armitage, James L.
"Electronic Warfare Solid-State Phased Arrays," No. 2, p. 109.

Arthur, J.W.
"SAW Pulse Compression in Modern Multi-Channel Radar Applications," No. 1, p. 159.

Avery, Steven E.
"Dual Mixers," No. 10, p. 141.

Baczynsky, Andrew
"Low Cost Phase Noise Tester for 50 MHz to 4.2 GHz Signal Generators," No. 1, p. 191.

Beam, Walter R.
"C^3 and Microwave Technology," No. 12, p. 91.

Beeckman, P.A.
"Millimeter-Wave Antenna Measurements with the HP 8510 Network Analyzer," No. 7, p. 89.

Bierman, Howard
"Microwave Packages Are Meeting GaAs Challenges," No. 11, p. 26.

Billetter, Dale R.
"Efficient Radar Control," No. 1, p. 147.

Bitzer, R., R. Sudarsanam, S. Bay, H. Goldberg
"17 GHz Command Receiver for Direct Broadcast Satellites," No. 10, p. 99.

Bonfield, Robin
"Device Attachment to RT/duroid Laminates," No. 1, p. 183.

Boyd, David A.
"Design Considerations for Post-Tuning Drift (PTD) Reduction in Modern VCO Subsystems," No. 12, p. 121.

Boyles, John W.
"The Oscillator as a Reflection Amplifier: an Intuitive Approach to Oscillator Design," No. 6, p. 83.

Brand, Jerry C., James F. Ronnau
"Practical Determination of Dielectric Resonator Coupling Coefficients," No. 11, p. 141.

Brockway, Charles J.
"Frequency-Agile Phase-Locked Loop," No. 6, p. 163.

Brookner, Eli, Thomas F. Mahoney
"Derivation of a Satellite Radar Architecture for Air Surveillance," No. 2, p. 173.

Calviello, J.A., A. Cappello, P. Bie, R. Pomian, P. Meier
"Quasi-Monolithic: An Alternative/Intermediate Approach to Fully Monolithic," No. 5, p. 243.

Carp, Stuart L.
"Vector Reflection Coefficient Test Set Using Off-the-Shelf RF Signal Processing Components," No. 5, p. 355.

Celliers, A.F.
"Sensitivity Analysis of 3 dB Branchline Couplers," No. 11, p. 188.

Chang, I.C.
"Acousto-Optic Channelized Receiver," No. 3, p. 141.

Chu, A., W.E. Courtney, C.L. Chen, L.J. Mahoney, M.J. Manfra, H.A. Atwater
"Monolithic Analog Phase Shifters and Frequency Multipliers for mm-Wave Phased Array Applications," No. 12, p. 105.

Clarke, J., C.M. Stewart
"Airborne Radar, Part I," No. 1, p. 32.

Clarke, J., C.M. Stewart
"Airborne Radar, Part II," No. 2, p. 44.

Cohen, L., G. Irvin, J. Levy, P. Meier, H. Paczkowski, J. Whelehan
"Advanced mm-Wave Receivers for EW Applications," No. 4, p. 127.

Collett, E.
"Digital Spectrometry Measurement of Dielectric Constants at Millimeter Frequencies," No. 5, p. 307.

Cross, D.C., D.D. Howard, J.W. Titus
"Mirror-Antenna Radar Concept," No. 5, p. 323.

Daniels, W.D., M. Churchman, R. Kyle, W. Skudera
"Compressive Receiver Technology," No. 4, p. 175.

Davis, R.G., M.J. Lazarus
"Phase Locking of mm-Wave Two-Port Gunn Oscillator by Bias Tuning," No. 6, p. 103.

DiPiazza, Gerald C., Peter Onno
"50 W CW Diode-Tuned UHF Filter," No. 10, p. 133.

Dougherty, Richard M.
"mm-Wave Filter Design with Suspended Stripline," No. 7, p. 75.

Downs, J.W.
"Designing for Fiberglass and Composites," No. 8, p. 111.

Drexler, Paul E.
"Effect of Termination Mismatches on Double-Balanced Mixers," No. 1, p. 187.

Effenberger, John A., Richard R. Strickland
"The Effects of Rain on a Radome's Performance," No. 5, p. 261.

Eisenson, Henry
"Frequency Synthesis: A Fresh Approach," No. 11, p. 42.

Elliott, J.H., R.B. Stokes, K.H. Yen
"SAWFAST: A SAW Diffraction Channelizer," No. 9, p. 177.

Engelson, Morris
"Of Components and Instruments," No. 8, p. 26.

Farina, A., F.A. Studer
"Radar and Sensor Netting: Present and Future," No. 1, p. 97.

Farina, A., F.A. Studer
"A Review of CFAR Detection Techniques in Radar Systems," No. 9, p. 115.

Fiedziuszko, S. Jerry
"Microwave Dielectric Resonators," No. 9, p. 189.

Fischer, Michael C.
"Simple Modulators Generate Complex Formats to Push Higher Data Rates Through Limited Bandwidth," No. 3, p. 180.

Fourdan, Jean-Louis
"Simple, Homodyne Quartz-Locked FSK Detector," No. 7, p. 170.

Foust, Roger
"Using GaAs FET Small Signal Models and DC Load Line Characteristics to Predict Optimum Power Match in GaAs FETs," No. 9, p. 151.

Gelnovatch, Vladimir G.
"Is It Time for a Microwave VHSIC?" No. 4, p. 26.

Glaser, Peter E.
"Microwave Power Transmission for Use in Space," No. 12, p. 44.

Goldfarb, Marc E.
"Determination of Power Dissipation Characteristics of Broadband, In-Phase Power Combiners," No. 11, p. 192.

Goldsmith, Paul F., George J. Gill
"Dielectric Wedge Conical Scanned Gaussian Optic Lens Antenna," No. 9, p. 207.

Greilman, Erwin, Leonard Roland
"DC to 40 GHz Switches and 33 GHz Attenuators," No. 11, p. 183.

Gupta, Chandra, John Leventis, Nancy Jane Bailey
"Design of Microstrip Receiver Supercomponents at mm-Wave Frequencies," No. 9, p. 161.

Hall, Peter S.
"Microstrip Antenna Array with Multi-Octave Bandwidth," No. 3, p. 133.

Hamilton, Steve
"CAE Software Provides Solutions: Design of a Narrowband Microwave Balanced Mixer," No. 9, p. 220.

Hannum, Arthur J.
"2 Megabit Data Modem," No. 6, p. 161.

Harper, Terry, Wayne Kennan, Northe K. Osbrink
"In Search of the $300 T/R Module," No. 3, p. 48.

Harris, J.R.
"The Challenge of Vertical Integration," No. 10, p. 26.

Harrison, Terry
"A New Approach to Radar Cross-Section Compact Range," No. 6, p. 137.

Hill, Robert T.
"Expecting More of Radar — And Achieving the Expectation," No. 1, p. 26.

Hovanessian, S.A.
"Detection of Non-Moving Targets by Airborne mm-Wave Radars," No. 3, p. 159.

Howe Jr., Harlan
"SDI: New Weapons Technology," No. 12, p. 26.

Huckleberry, Bob E.
"Design Considerations for a Modern DTO," No. 5, p. 291.

Hughes, D.W., H.M. Harris, C.T. Rucker
"An Equivalent Circuit for a 70 mil Microstrip Package," No. 8, p. 97.

Jansen, Rolf H.
"LINMIC, a CAD Package for the Layout-Oriented Design of Single- and Multi-Layer MICs/MMICs up to mm-Wave Frequencies," No. 2, p. 151.

Kaplan, Philip D.
"Predicting Antenna Sidelobe Performance," No. 9, p. 201.

Kim, David C.
"Slope Compensating PIN Diode Attenuators," No. 3, p. 181.

King, R.C.M.
"The Design of Grid Pulsed, ppm Focused, Coupled-Cavity TWTs for Reliable Operation in Military Transmitters," No. 3, p. 167.

Klem, Sherman R.
"Low Cost Noise Sources Useful as Receiver BITE," No. 6, p. 147.

Knerr, Reinhard H.
"Focus on Baltimore: 1986 International Microwave Symposium," No. 5, p. 26.

Kothari, Dipak S.
"Stopband Filter Resonance Frequency Shift due to an Uncoupled Length of Resonator," No. 11, p. 165.

Lasrich, M., R. Bansal
"Computer Calculations of Relative Heating Patterns Due to a 27 MHz Waveguide Applicator for Hyperthermia Treatment," No. 7, p. 153.

Lau, C.L., M.L. Salib, D.E. Dawson, M.R. Murphy, L.R. Whicker
"A 2 to 8 GHz Cascadable Monolithic Amplifier," No. 4, p. 161.

Lau, K.F., K.H. Yen
"Stable, Low Cost SAW Microwave Transmitter," No. 6, p. 111.

Leong, M.S., P.S. Kooi, A.L. Satya Prakash
"Effect of a Conducting Enclosure on the Characteristic Impedance of Coplanar Waveguides," No. 8, p. 105.

Levien, Fred H.
"The Dilemma of Trust" No. 6, p. 26.

Lier, Erik, Kjell Bergh
"Cross-Polarization in Perturbed Circular Cylindrical Waveguides," No. 2, p. 193.

Lochhead, Donald L.
"Receivers and Receiver Technology for EW Systems," No. 2, p. 139.

Mailloux, R.J.
"Phased Array Architecture for mm-Wave Active Arrays," No. 7, p. 117.

Maury Jr., Mario A., Gary R. Simpson
"Improved Millimeter Waveguide Flanges Improve Components and Measurements," No. 5, p. 337.

Monser, George
"Design Considerations for Broadbanding Phased Array Elements," No. 3, p. 123.

Montgomery, Jeff D.
"Microwave Solid-State Oscillator Forecast," No. 5, p. 171.

Montgomery, Jeff D.
"Microwave Equipment US Production Forecast," No. 10, p. 30.

Moore, R.A., R.E. Marinaccio
"Advancing EW System Strategies and Supporting Technologies," No. 2, p. 26.

Morgan, D., R. Ragland
"Lumped Element Filters for Electronic Warfare Systems," No. 2, p. 127.

Morgan, G.B.
"Dielectric Resonators for Circuits at Short mm-Wavelengths," No. 7, p. 107.

Mortezaie, M., C.P. Hu
"Phase Tracking Measurement of mm-Wave Mixers," No. 10, p. 161.

Neuf, Don, Steve Spohrer
"2 to 18 and 2 to 26 GHz Biasable Bridge Quad Schottky Diode Mixers," No. 5, p. 350.

Niehenke, Ed
"Microwaves Linking Nations: The 1986 IEEE MTT-S International Microwave Symposium," No. 5, p. 30.

Oxley, T.H., C. Burnett
"mm-Wave (30-110 GHz) Hybrid Microstrip Technology, Part I," No. 3, p. 36.

Oxley, T.H., C. Burnett
"mm-Wave (30-110 GHz) Hybrid Microstrip Technology, Part II" No. 5, p. 177.

Pagani, L., G. Ruffie, G. Beaudin, M. Gheudin, A. Deschamps
"A Low Noise Cryogenic Receiver for Spectroscopic Applications in mm-Wave Radioastronomy at 230 GHz," No. 10, p. 119.

Paolella, Arthur, Raymond L. Ross, John Ondria
"Advanced mm-Wave Sources by Automated MBE," No. 4, p. 149.

Park, P.K., R.L. Eisenhart, S.E. Bradshaw
"Matched, Dual Mode Square Waveguide Corner," No. 11, p. 153.

Pell, C.
"Multi-Static Radar for Long Range Air Defense," No. 1, p. 171.

Perica, Goran
"Voltage-Controlled RF Phase Shifter," No. 7, p. 166.

Perlow, Stewart M.
"Simplified Expressions for Calculating the Impedance of Shielded Slab Line of Any Shape Ratio," No. 11, p. 125.

Person, Don
"Ultra Low Distortion FM Audio Subcarrier Subsystems," No. 2, p. 196.

Petrovic, B.
"A New Type of Microstrip Directional Coupler," No. 4, p. 197.

Powell, Scott D.
"18 to 40 GHz Single-Pole, 4-Throw Switch," No. 7, p. 127.

Pozar, David M., Daniel H. Schaubert
"Comparison of Architectures for Monolithic Phased Array Antennas," No. 3, p. 93.

Radmanesh, M., C.M. Chu, G.I. Haddad
"Magnetostatic Wave Propagation in a Yttrium Iron Garnet (YIG)-Loaded Waveguide," No. 7, p. 135.

Raffaelli, Lamberto, Robert Goldwasser
"Temperature Compensation for Microwave GaAs FET Amplifiers," No. 5, p. 315.

Remski, R. D. Zavadil
"1986 Microwave Power Tube Conference," No. 6, p. 32.

Richards, C.W.
"Dual-Mode (QPSK or 16-QASK) Modulator," No. 7, p. 162.

Richharia, M.
"Maximum Permissible Satellite Drift Rates for Step-Track Systems," No. 10, p. 151.

Roberts, J.B.G., P. Simpson, B.C. Merrifield
"Applying Digital VLSI Technology to Radar Signal Processing," No. 1, p. 129.

Rohde, Ulrich L.
"Designing a Matched Low Noise Amplifier Using CAD Tools," No. 10, p. 154.

Rohde, Ulrich L.
"Designing a Low Noise Oscillator Using CAD Tools," No. 12, p. 140.

Schell, Allan C.
"Trends in Phased Array Development," No. 3, p. 26.

Schilb, William A.
"Profile of a 23 GHz Radio Design," No. 10, p. 49.

Sethares, J.C.
"Microwave/mm-Wave Magnetics and MMIC Compatibility," No. 10, p. 36.

Shamah, Daniel, Michael R. Hagins
"Synthesizer Switching Speed Measurements," No. 11, p. 171.

Sharon, Thomas E., Gordon R. Harrison
"Recent Advances in mm-Wave Ferrite Device Technology," No. 4, p. 187.

Sieger, Kenneth, Ingham Mack, Craig Scott, Felix Buot
"Compound Semiconductor Digital Integrated Circuits," No. 8, p. 85.

Sletten, C.J., W. Payne, W. Shillue
"Offset Dual Reflector Antennas for Very Low Sidelobes," No. 5, p. 221.

Smith, Mark A., Kevin J. Anderson, Anthony M. Pavio
"Decade-Band Mixer Covers 3.5 to 35 GHz," No. 2, p. 163.

Snow, J.R.C.
"High Speed Voltage-Controlled Attenuator," No. 2, p. 197.

Snyder, David F.
"Improving the Resolution of IM and Other Distortion Measurements," No. 5, p. 352.

Spielman, Barry E.
"Defense Electronics: A Balance of Functionality, Finance and Form," No. 9, p. 26.

Sprague, David L.
"Microwave CAE ... And Now a Show of Hands? A report on the software users group meetings during MTT-S '86," No. 7, p. 34.

Sterzer, F., R.W. Paglione, F.J. Wozniak, E. Friedenthal, J. Mendecki
"A Robot-Operated Microwave Hyperthermia System for Treating Large, Malignant Surface Lesions," No. 7, p. 147.

Stiglitz, Martin R.
"MILCOM '85," No. 1, p. 50.

Stiglitz, Martin R.
"The Global Positioning System," No. 4, p. 34.

Stiglitz, Martin R.
"The Military Electronics Market: The Next 10 Years," No. 8, p. 30.

Stiglitz, Martin R.
"Millimeter-Wave Applications," No. 8, p. 38.

Stiglitz, Martin R.
"GaAs Technology and MIMIC," No. 9, p. 42.

Stiglitz, Martin R.
"SDI: The Frontier of Technological Opportunity," No. 12, p. 34.

Strid, Eric W.
"26 GHz Wafer Probing for MMIC Development and Manufacture," No. 8, p. 71.

Tahim, R.S., T. Pham, P. Yen
"W-Band Low Noise Integrated Circuit Subharmonically Pumped Mixer with over 10 GHz Instantaneous RF Bandwidth," No. 7, p. 157.

Tahim, R.S., T. Pham, K. Chang
"W-Band Integrated Circuit PIN Switches," No. 12, p. 133.

Thumm, M., V. Erckmann, W. Kasparek, H. Kumric, G.A. Muller, P.G. Schuller, R. Wilhelm
"Very High Power mm-Wave Components in Oversized Waveguides," No. 11, p. 103.

Tomar, R.S., Prakash Bhartia
"Suspended and Inverted Microstrip Design," No. 3, p. 173.

Tsui, James B.Y.
"An Approximation Equation for EW Receiver Sensitivity," No. 9, p. 214.

Varian, K.R.
"DROs at 4, 6 and 11 GHz," No. 10, p. 111.

Vendelin, George, William Mueller, Amarpal Khanna, Roland Soohoo
"A 4 GHz DRO," No. 6, p. 151.

Waldron, T.P., S.K. Chin, R.J. Naster
"Distributed Beamsteering Control of Phased Array Radars," No. 9, p. 133.

Wang, S.K., D.C. Wang, C.D. Chang, M. Siracusa, L.C.T. Liu
"Producibility of GaAs Monolithic Microwave Integrated Circuits," No. 6, p. 121.

Watkins, E.T., B.M. Post, R.A. Knust-Graichen, J.M. Schellenberg
"Low Noise, 20 GHz Receiver Front-End," No. 5, p. 297.

Webber, G., J. Culp, Mark Robinson
"DRFM Requirements Demand Innovative Technology," No. 2, p. 91.

White, Joseph F.
"Attending the Conference," No. 5, p. 40.

White, Joseph F.
"What Happened at the Conference?" No. 7, p. 24.

Xu Yansheng, Jiang Zhengchang
"Dual-Mode Latching Ferrite Devices," No. 5, p. 277.

Yau, W., J.M. Schellenberg
"An N-Way Broadband Planar Power Combiner/Divider," No. 11, p. 147.

Zensius, David P., Mike Draher, Northe K. Osbrink
"Device and Construction Refinements Yield First 33 to 50 GHz GaAs FET DRO," No. 6, p. 153.

Ziegner, Bernhard A.
"High Performance MMIC Hermetic Packaging," No. 11, p. 133. ■